

2825

Lamps with glass wedge bases for cars



- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product benefits

- ----
- Wide product range
- Reliable quality

Product features

Original spare parts



Technical data

Electrical data

Power input	5 W
Nominal wattage	5 W
Nominal voltage	12 V
Power input tolerance	±10 %
Test voltage	13.5 V


Light technical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Length	26.8 mm
Diameter	10.0 mm
Product weight	1.30 g





Product line drawing

Lifespan

Lifespan B3	350 h
Lifespan Tc	1000 h

Base (standard designation)	W2.1x9.5d	
Certificates & standards		

Country specific categorizations

Order reference

2825



Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300838632	Unpacked 1	14 mm x 11 mm x 30 mm	2.30 g	0.00 dm ³
4050300524801	Folding carton box 10	106 mm x 42 mm x 40 mm	20.80 g	0.18 dm ³
4008321094469	Shipping carton box 50	98 mm x 71 mm x 148 mm	146.36 g	1.03 dm ³
4050300925684	Blister 2	46 mm x 9 mm x 75 mm	7.60 g	0.03 dm ³
4008321140340	Shipping carton box 20	92 mm x 105 mm x 123 mm	116.80 g	1.19 dm ³



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.